Brain Research, 571 (1992) 358–359
Elsevier

Author Index

Adachi, S., Oka, J.-I., Nagao, T. and Fukuda, H., Activation of beta-adrenergic receptor induces Na^+-dependent inward currents in acutely dissociated motoneurons of bullfrog spinal cord, 79
Alessi, V., see Cabot, J.B., 1
Allegretta, M., see Nitta, T., 19
Almeida, O.F.X., Hassan, A.H.S., Harbuz, M.S., Linton, E.A. and Lightman, S.L., Hypothalamic corticotropin-releasing hormone and opioid peptide neurons: functional changes after adrenalectomy and/or castration, 189
Aoki, C. and Pickel, V.M., C-Terminal tail of β-adrenergic receptors: immunocytochemical localization within astrocytes and their relation to catecholaminergic neurons in N. tractus solitarii and area postrema, 35
Aoki, T., see Kamei, J., 199
Araque, A., Ferreira, W., Lucas, S. and Buño, W., Glutamatergic postsynaptic block by *Pamphobeteus* spider venoms in crayfish, 109
Armstead, W.M., Mirro, R., Zuckerman, S., Busija, D.W. and Leffler, .W., The influence of opioids on local cerebral glucose utilization in the newborn pig, 97
Arvin, B., see Le Peillet, E., 115
Asin, K.E., Gore, P.A. Jr., Bednarz, L., Holladay, M. and Nadzan, A.M., Effects of selective CCK receptor agonists on food intake after central or peripheral administration in rats, 169

Baamonde, A., see Ruiz-Gayo, M., 306
Bednarz, L., see Asin, K.E., 169
Behan, P.O., see Denenberg, V.H., 323
Bell III, J., Zhang, X. and Whitaker-Azmitia, P.M., 5-HT_3 receptor-active drugs alter development of spinal serotonergic innervation: lack of effect of other serotonergic agents, 293
Benson, M.D., see Ghetti, B., 133
Bing, Z., see Bouhassira, D., 140
Blengio, M., see Ferretti, C., 212
Bornmann, W.G., see Deecher, D.C., 242
Bouhassira, D., Bing, Z. and Le Bars, D., Effects of lesions of locus coeruleus/subcoeruleus on diffuse noxious inhibitory controls in the rat, 140
Brocke, S., see Nitta, T., 19
Buño, W., see Araque, A., 109
Burger, B.S., see Colbert, C.M., 159
Bush, L.G., see Singh, N.A., 260
Bushnell, A., see Cabot, J.B., 1
Busija, D.W., see Armstead, W.M., 97

Cabot, J.B., Alessi, V. and Bushnell, A., Glycine-like immunoreactive input to sympathetic preganglionic neurons, 1
Calvet, J., see Calvet, M.-C., 218
Calvet, M.-C., Drian, M.-J. and Calvet, J., Neuronal firing patterns of organotypic rat spinal cord cultures in normal and in ACTH/α-MSH(4–10) analog (BIM 22015)-supplemented medium, 218
Castañeda, E., Whishaw, I.Q. and Robinson, T.E., Recovery from lateralized neocortical damage: dissociation between amphetamine-induced asymmetry in behavior and striatal dopamine neurotransmission in vivo, 248
Cha, J.-H.J., see Davis, R.E., 73
Chandler, M.J., Hobbs, S.F., Fu, Q.-G., Kenshalo, D.R. Jr., Blair, R.W. and Foreman, R.D., Responses of neurons in ventroposterolateral nucleus of primate thalamus to urinary bladder distension, 26
Chang, F.-C.T., Modification of medullary respiratory-related discharge patterns by behaviors and states of arousal, 281
Chen, J., Ruan, D., Paredes, W. and Gardner, E.L., Effects of acute and chronic clozapine on dopaminergic function in medial prefrontal cortex of awake, freely moving rats, 235
Chin, G.J. and Goldman, S.A., Purification of squid synaptic vesicles and characterization of the vesicle-associated proteins synaptobrevin and Rab3A, 89
Colbert, C.M., Burger, B.S. and Levy, W.B., Longevity of synaptic depression in the hippocampal dentate gyrus, 159
Corsini, G.U., see Del Zompo, M., 354

Davis, R.E., Wilmot, G.R. and Cha, J.-H.J., Glutamic acid-insensitive [^{3}H]-kainic acid binding in goldfish brain, 73
Deecher, D.C., Teitler, M., Soderlund, D.M., Bornmann, W.G., Kuehne, M.E. and Glick, S.D., Mechanisms of action of ibogaine and harmaline congeners based on radioligand binding studies, 242
Del Zompo, M., Piccardi, M.P., Ruiu, S., Corsini, G.U. and Vaccari, A., Characterization of a putatively vesicular binding site for [^{3}H]MPP^+ in mouse striatal membranes, 354
Denenberg, V.H., Sherman, G.F., Morrison, L., Schrott, L.M., Waters, N.S., Rosen, G.D., Behan, P.O. and Galaburda, A.M., Behavior, ectopias and immunity in BD/DB reciprocal crosses, 323
Dive, D., see Maquet, P., 149
Drian, M.-J., see Calvet, M.-C., 218

Farlow, M.R., see Ghetti, B., 133
Ferreira, W., see Araque, A., 109
Ferretti, C., Blengio, M., Vigna, I., Ghi, P. and Genazzani, E., Effects of estradiol on the ontogenesis of striatal dopamine D_1 and D_2 receptor sites in male and female rats, 212
Foreman, R.D., see Chandler, M.J., 26
Fournie-Zaluski, M.-C., see Ruiz-Gayo, M., 306
Franck, G., see Maquet, P., 149
Franco, G., see Maquet, P., 149
Fu, Q.-G., see Chandler, M.J., 26
Fukuda, H., see Adachi, S., 79

Gábriel, R., Straznicky, C. and Wye-Dvorak, J., GABA-like immunoreactive neurons in the retina of *Bufo marinus*: evidence for the presence of GABA-containing ganglion cells, 175
Galaburda, A.M., see Denenberg, V.H., 323
Gardner, E.L., see Chen, J., 235
Geisert, E.E. Jr., Williams, R.C. and Bidanset, D.J., A CNS specific proteoglycan associated with astrocytes in rat optic nerve, 165
Genazzani, E., see Ferretti, C., 212
Ghetti, B., Murrell, J., Benson, M.D. and Farlow, M.R., Spectrum of amyloid β-protein immunoreactivity in hereditary Alzheimer disease with a guanidine to thymidine missense change at position 1924 of the APP gene, 133
Ghi, P., see Ferretti, C., 212
Gibb, J.W., see Singh, N.A., 260
Glick, S.D., see Deecher, D.C., 242
Goldman, S.A., see Chin, G.J., 89
Gore Jr., P.A., see Asin, K.E., 169

Hanson, G.R., see Singh, N.A., 260
Harbuz, M.S., see Almeida, O.F.X., 189
Hassan, A.H.S., see Almeida, O.F.X., 189
Häusser, M.A., Yung, W.H. and Lacey, M.G., Taurine and glycine activate the same Cl^- conductance in substantia nigra dopamine neurones, 103
Healy, D.P. and Orlowski, M., Immunocytochemical localization of endopeptidase 24.15 in rat brain, 121
Hobbs, S.F., see Chandler, M.J., 26
Holladay, M., see Asin, K.E., 169

Inagaki, N., see Miki, H., 129

Johnson, R.L., see Peterson, N.L., 162

Kamei, J., Ohhashi, Y., Aoki, T., Kawasima, N. and Kasuya, Y., Streptozotocin-induced diabetes selectively alters the potency of analgesia produced by μ-opioid agonists, but not by δ- and κ-opioid agonists, 199
Kasuya, Y., see Kamei, J., 199
Katz, H., see Kenan-Vaknin, G., 338
Kawasima, N., see Kamei, J., 199
Kenan-Vaknin, G., Katz, H. and Malach, R., Golgi-like staining of visual cortex cells obtained by extracellular biocytin application in vitro, 338

Brain Research, 571 (1992) 358–359
Elsevier

Author Index

Adachi, S., Oka, J.-I., Nagao, T. and Fukuda, H., Activation of beta-adrenergic receptor induces Na^+-dependent inward currents in acutely dissociated motoneurons of bullfrog spinal cord, 79
Alessi, V., see Cabot, J.B., 1
Allegretta, M., see Nitta, T., 19
Almeida, O.F.X., Hassan, A.H.S., Harbuz, M.S., Linton, E.A. and Lightman, S.L., Hypothalamic corticotropin-releasing hormone and opioid peptide neurons: functional changes after adrenalectomy and/or castration, 189
Aoki, C. and Pickel, V.M., C-Terminal tail of β-adrenergic receptors: immunocytochemical localization within astrocytes and their relation to catecholaminergic neurons in N. tractus solitarii and area postrema, 35
Aoki, T., see Kamei, J., 199
Araque, A., Ferreira, W., Lucas, S. and Buño, W., Glutamatergic postsynaptic block by *Pamphobeteus* spider venoms in crayfish, 109
Armstead, W.M., Mirro, R., Zuckerman, S., Busija, D.W. and Leffler, .W., The influence of opioids on local cerebral glucose utilization in the newborn pig, 97
Arvin, B., see Le Peillet, E., 115
Asin, K.E., Gore, P.A. Jr., Bednarz, L., Holladay, M. and Nadzan, A.M., Effects of selective CCK receptor agonists on food intake after central or peripheral administration in rats, 169

Baamonde, A., see Ruiz-Gayo, M., 306
Bednarz, L., see Asin, K.E., 169
Behan, P.O., see Denenberg, V.H., 323
Bell III, J., Zhang, X. and Whitaker-Azmitia, P.M., 5-HT_3 receptor-active drugs alter development of spinal serotonergic innervation: lack of effect of other serotonergic agents, 293
Benson, M.D., see Ghetti, B., 133
Bing, Z., see Bouhassira, D., 140
Blengio, M., see Ferretti, C., 212
Bornmann, W.G., see Deecher, D.C., 242
Bouhassira, D., Bing, Z. and Le Bars, D., Effects of lesions of locus coeruleus/subcoeruleus on diffuse noxious inhibitory controls in the rat, 140
Brocke, S., see Nitta, T., 19
Buño, W., see Araque, A., 109
Burger, B.S., see Colbert, C.M., 159
Bush, L.G., see Singh, N.A., 260
Bushnell, A., see Cabot, J.B., 1
Busija, D.W., see Armstead, W.M., 97

Cabot, J.B., Alessi, V. and Bushnell, A., Glycine-like immunoreactive input to sympathetic preganglionic neurons, 1
Calvet, J., see Calvet, M.-C., 218
Calvet, M.-C., Drian, M.-J. and Calvet, J., Neuronal firing patterns of organotypic rat spinal cord cultures in normal and in ACTH/α-MSH(4–10) analog (BIM 22015)-supplemented medium, 218
Castañeda, E., Whishaw, I.Q. and Robinson, T.E., Recovery from lateralized neocortical damage: dissociation between amphetamine-induced asymmetry in behavior and striatal dopamine neurotransmission in vivo, 248
Cha, J.-H.J., see Davis, R.E., 73
Chandler, M.J., Hobbs, S.F., Fu, Q.-G., Kenshalo, D.R. Jr., Blair, R.W. and Foreman, R.D., Responses of neurons in ventroposterolateral nucleus of primate thalamus to urinary bladder distension, 26
Chang, F.-C.T., Modification of medullary respiratory-related discharge patterns by behaviors and states of arousal, 281
Chen, J., Ruan, D., Paredes, W. and Gardner, E.L., Effects of acute and chronic clozapine on dopaminergic function in medial prefrontal cortex of awake, freely moving rats, 235
Chin, G.J. and Goldman, S.A., Purification of squid synaptic vesicles and characterization of the vesicle-associated proteins synaptobrevin and Rab3A, 89
Colbert, C.M., Burger, B.S. and Levy, W.B., Longevity of synaptic depression in the hippocampal dentate gyrus, 159
Corsini, G.U., see Del Zompo, M., 354

Davis, R.E., Wilmot, G.R. and Cha, J.-H.J., Glutamic acid-insensitive [^{3}H]-kainic acid binding in goldfish brain, 73
Deecher, D.C., Teitler, M., Soderlund, D.M., Bornmann, W.G., Kuehne, M.E. and Glick, S.D., Mechanisms of action of ibogaine and harmaline congeners based on radioligand binding studies, 242
Del Zompo, M., Piccardi, M.P., Ruiu, S., Corsini, G.U. and Vaccari, A., Characterization of a putatively vesicular binding site for [^{3}H]MPP^+ in mouse striatal membranes, 354
Denenberg, V.H., Sherman, G.F., Morrison, L., Schrott, L.M., Waters, N.S., Rosen, G.D., Behan, P.O. and Galaburda, A.M., Behavior, ectopias and immunity in BD/DB reciprocal crosses, 323
Dive, D., see Maquet, P., 149
Drian, M.-J., see Calvet, M.-C., 218

Farlow, M.R., see Ghetti, B., 133
Ferreira, W., see Araque, A., 109
Ferretti, C., Blengio, M., Vigna, I., Ghi, P. and Genazzani, E., Effects of estradiol on the ontogenesis of striatal dopamine D_1 and D_2 receptor sites in male and female rats, 212
Foreman, R.D., see Chandler, M.J., 26
Fournie-Zaluski, M.-C., see Ruiz-Gayo, M., 306
Franck, G., see Maquet, P., 149
Franco, G., see Maquet, P., 149
Fu, Q.-G., see Chandler, M.J., 26
Fukuda, H., see Adachi, S., 79

Gábriel, R., Straznicky, C. and Wye-Dvorak, J., GABA-like immunoreactive neurons in the retina of *Bufo marinus*: evidence for the presence of GABA-containing ganglion cells, 175
Galaburda, A.M., see Denenberg, V.H., 323
Gardner, E.L., see Chen, J., 235
Geisert, E.E. Jr., Williams, R.C. and Bidanset, D.J., A CNS specific proteoglycan associated with astrocytes in rat optic nerve, 165
Genazzani, E., see Ferretti, C., 212
Ghetti, B., Murrell, J., Benson, M.D. and Farlow, M.R., Spectrum of amyloid β-protein immunoreactivity in hereditary Alzheimer disease with a guanidine to thymidine missense change at position 1924 of the APP gene, 133
Ghi, P., see Ferretti, C., 212
Gibb, J.W., see Singh, N.A., 260
Glick, S.D., see Deecher, D.C., 242
Goldman, S.A., see Chin, G.J., 89
Gore Jr., P.A., see Asin, K.E., 169

Hanson, G.R., see Singh, N.A., 260
Harbuz, M.S., see Almeida, O.F.X., 189
Hassan, A.H.S., see Almeida, O.F.X., 189
Häusser, M.A., Yung, W.H. and Lacey, M.G., Taurine and glycine activate the same Cl^- conductance in substantia nigra dopamine neurones, 103
Healy, D.P. and Orlowski, M., Immunocytochemical localization of endopeptidase 24.15 in rat brain, 121
Hobbs, S.F., see Chandler, M.J., 26
Holladay, M., see Asin, K.E., 169

Inagaki, N., see Miki, H., 129

Johnson, R.L., see Peterson, N.L., 162

Kamei, J., Ohhashi, Y., Aoki, T., Kawasima, N. and Kasuya, Y., Streptozotocin-induced diabetes selectively alters the potency of analgesia produced by μ-opioid agonists, but not by δ- and κ-opioid agonists, 199
Kasuya, Y., see Kamei, J., 199
Katz, H., see Kenan-Vaknin, G., 338
Kawasima, N., see Kamei, J., 199
Kenan-Vaknin, G., Katz, H. and Malach, R., Golgi-like staining of visual cortex cells obtained by extracellular biocytin application in vitro, 338

Koerner, J.F., see Peterson, N.L., 162
Koide, T., see Nagafuji, T., 265
Kroona, H.B., see Peterson, N.L., 162
Kuczenski, R., see Segal, D.S., 330
Kuehne, M.E., see Deecher, D.C., 242

Lacey, M.G., see Häusser, M.A., 103
Le Bars, D., see Bouhassira, D., 140
Le Peillet, E., Arvin, B., Moncada, C. and Meldrum, B.S., The non-NMDA antagonists, NBQX and GYKI 52466, protect against cortical and striatal cell loss following transient global ischaemia in the rat, 115
Leffler, C.W., see Armstead, W.M., 97
Levine, J.E., see Meredith, J.M., 181
Levy, W.B., see Colbert, C.M., 159
Lightman, S.L., see Almeida, O.F.X., 189
Lim, M., see Nitta, T., 19
Lin, Y. and Phillis, J.W., Deoxycoformycin and oxypurinol: protection against focal ischemic brain injury in the rat, 272
Linton, E.A., see Almeida, O.F.X., 189
Lucas, S., see Araque, A., 109

Malach, R., see Kenan-Vaknin, G., 338
Maquet, P., Dive, D., Salmon, E., Sadzot, B., Franco, G., Poirrier, . and Franck, G., Cerebral glucose utilization during stage 2 sleep in man, 149
Meldrum, B.S., see Le Peillet, E., 115
Meredith, J.M. and Levine, J.E., Effects of castration on LH-RH patterns in intrahypophysial microdialysates, 181
Miki, H., Inagaki, N., Yamatodani, A. and Wada, H., Regional distribution of histamine in the brain of non-mammalian vertebrates, 129
Mirro, R., see Armstead, W.M., 97
Mitchell, D.J., see Nitta, T., 19
Moncada, C., see Le Peillet, E., 115
Morrison, L., see Denenberg, V.H., 323
Murrell, J., see Ghetti, B., 133

Nadzan, A.M., see Asin, K.E., 169
Nagafuji, T., Koide, T. and Takato, M., Neurochemical correlates of selective neuronal loss following cerebral ischemia: role of decreased Na^+,K^+-ATPase activity, 265
Nagao, T., see Adachi, S., 79
Nishimura, S., see Sorimachi, M., 154
Nitta, T., Sato, K., Allegretta, M., Brocke, S., Lim, M., Mitchell, D.J. and Steinman, L., Expression of granulocyte colony stimulating factor and granulocyte-macrophage colony stimulating factor genes in human astrocytoma cell lines and in glioma specimens, 19

Ohhashi, Y., see Kamei, J., 199
Oka, J.-I., see Adachi, S., 79
Orlowski, M., see Healy, D.P., 121

Paredes, W., see Chen, J., 235
Peoples, R.W. and Weight, F.F., Ethanol inhibition of *N*-methyl-D-aspartate-activated ion current in rat hippocampal neurons is not competitive with glycine, 342
Peterson, N.L., Kroona, H.B., Johnson, R.L. and Koerner, J.F., Activity of the conformationally rigid 2-amino-4-phosphonobutanoic acid (AP4) analogue (*RS*)-1-amino-3-(phosphonomethylene)-cyclobutane- 1-carboxylic acid (cyclobutylene AP5) on evoked responses in the perforant pathway of rat hippocampus, 162
Phillis, J.W., see Lin, Y., 272
Piccardi, M.P., see Del Zompo, M., 354
Pickel, V.M., see Aoki, C., 35
Poirrier, ., see Maquet, P., 149

Rattan, A.K. and Tejwani, G.A., The neurotoxic actions of ibotenic acid on cholinergic and opioid peptidergic systems in the central nervous system of the rat, 298
Richards, J.B., see Sabol, K.E., 64
Richardson, S.B. and Twente, S., Anticonvulsants inhibit rat neuronal somatostatin release, 230
Rigor, B.M., see Schurr, A., 145
Rivier, C., see Torres, G., 204
Robinson, T.E., see Castañeda, E., 248
Roques, B.P., see Ruiz-Gayo, M., 306
Rosen, G.D., see Denenberg, V.H., 323
Ruan, D., see Chen, J., 235
Ruiu, S., see Del Zompo, M., 354
Ruiz-Gayo, M., Baamonde, A., Turcaud, S., Fournie-Zaluski, M.-C. and Roques, B.P., In vivo occupation of mouse brain opioid receptors by endogenous enkephalins: blockade of enkephalin degrading enzymes by RB 101 inhibits [^{3}H]diprenorphine binding, 306

Sabol, K.E., Richards, J.B. and Seiden, L.S., Fenfluramine-induced increases in extracellular hippocampal serotonin are progressively attenuated in vivo during a four-day fenfluramine regimen in rats, 64
Sadzot, B., see Maquet, P., 149
Salmon, E., see Maquet, P., 149
Sato, K., see Nitta, T., 19
Schrott, L.M., see Denenberg, V.H., 323
Schurr, A., West, C.A. and Rigor, B.M., The excitotoxicity of heterocyclic dicarboxylic acids in rat hippocampal slices: structure–activity relationships, 145
Segal, D.S. and Kuczenski, R., In vivo microdialysis reveals a diminished amphetamine-induced DA response corresponding to behavioral sensitization produced by repeated amphetamine pretreatment, 330
Seiden, L.S., see Sabol, K.E., 64
Sherman, G.F., see Denenberg, V.H., 323
Shouse, M.N. and Siegel, J.M., Pontine regulation of REM sleep components in cats: integrity of the pedunculopontine tegmentum (PPT) is important for phasic events but unnecessary for atonia during REM sleep, 50
Siegel, J.M., see Shouse, M.N., 50
Singh, N.A., Bush, L.G., Gibb, J.W. and Hanson, G.R., Role of *N*-methyl-D-aspartate receptors in dopamine D_1-, but not D_2-, mediated changes in striatal and accumbens neurotensin systems, 260
Soderlund, D.M., see Deecher, D.C., 242
Sorimachi, M., Yamagami, K. and Nishimura, S., A muscarinic receptor agonist mobilizes Ca^{2+} from caffeine and inositol-1,4,5-trisphosphate-sensitive Ca^{2+} stores in cat adrenal chromaffin cells, 154
Steinman, L., see Nitta, T., 19
Strahlendorf, H.K., see Wang, Y., 345
Strahlendorf, J.C., see Wang, Y., 345
Straznicky, C., see Gábriel, R., 175
Subramaniam, S., Lucki, I. and McGonigle, P., Effects of chronic treatment with selective agonists on the subtypes of dopamine receptors, 313

Takamatsu, K. and Uyemura, K., Identification of recoverin-like immunoreactivity in mouse brain, 350
Takato, M., see Nagafuji, T., 265
Teitler, M., see Deecher, D.C., 242
Tejwani, G.A., see Rattan, A.K., 298
Torres, G. and Rivier, C., Differential effects of intermittent or continuous exposure to cocaine on the hypothalamic-pituitary-adrenal axis and c-*fos* expression, 204
Turcaud, S., see Ruiz-Gayo, M., 306
Twente, S., see Richardson, S.B., 230

Uyemura, K., see Takamatsu, K., 350

Vaccari, A., see Del Zompo, M., 354
Vigna, I., see Ferretti, C., 212

Wada, H., see Miki, H., 129
Wang, Y., Strahlendorf, J.C. and Strahlendorf, H.K., Serotonin reduces a voltage-dependent transient outward potassium current and enhances excitability of cerebellar Purkinje cells, 345
Waters, N.S., see Denenberg, V.H., 323
Weight, F.F., see Peoples, R.W., 342
West, C.A., see Schurr, A., 145
Whishaw, I.Q., see Castañeda, E., 248
Whitaker-Azmitia, P.M., see Bell III, J., 293
Wilmot, G.R., see Davis, R.E., 73
Wye-Dvorak, J., see Gábriel, R., 175

Yamagami, K., see Sorimachi, M., 154
Yamatodani, A., see Miki, H., 129
Yung, W.H., see Häusser, M.A., 103

Zhang, X., see Bell III, J., 293
Zuckerman, S., see Armstead, W.M., 97